

SDS(Safety Data Sheet)

Product	Kixx Hybrid 0W-16	
List No.	Issuing date	Last revised date
LB3393	2020-09-21	2020-09-21

1. IDENTIFICATION

1) Product name

Kixx Hybrid 0W-16

2) Recommended use of the chemical and restriction on use

- Recommended use (Lubricants and additives)
 - Gasoline engine oil
- Restrictions on use Do not use for any other purpose.

3) Details of the supplier of the safety data sheet

○ Manufacturer

- Company name GS Caltex Corporation
- Address GS Tower, 508, Nonhyeon-ro, Gangnam-gu, Seoul, Korea
- Emergency telephone number +82-1899-5145

2. HAZARDS IDENTIFICATION

1) Classification of the product

- Not applicable

2) Label elements

○ Hazard pictograms

- Not applicable

○ Signal word

- Not applicable

O Hazard statements

- Not applicable
- Precautionary statements

1) Prevention

- Not applicable

2) Response

- Not applicable

3) Storage

- Not applicable

4) Disposal

- Not applicable
- 3) Other hazards

○ Product NFPA Level

(X 0-Lack, 1-Low, 2-Moderate, 3-High, 4-Very High)

Product name	Health	Flammable	Reaction
Kixx Hybrid 0W-16	0	1	0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	Trade names and Synonyms	CAS No.	EC No.	Contain Ratio(%)
Distillates (petroleum), hydrotreated heavy paraffinic	Emulsifiable oil	64742- 54-7	265- 157-1	84 ~ 94
Business Secret1				5 ~ 15
Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts	Phosphorodithioic acid, O,O-di-C1- 14-alkyl esters, zinc salts	68649- 42-3	272- 028-3	0.4 ~ 3
Molybdenum, bis[N,N-bis(2- ethylhexyl)carbamodithioatokappa.S,.kappa.S']dioxodimu thioxodi-		90901- 24-9		0.1 ~ 1

4. FIRST AID MEASURES	
1) Eye contact	 In case of contact with material, immediately flush eyes with running water for at least 15 minutes. If eye irritation persists: Get medical advice/attention.
2) Skin contact	 In case of contact with material, immediately flush skin with running water for at least 15 minutes. Remove and isolate contaminated clothing and shoes. Launder contaminated clothing and shoes before re-use. If skin irritation occurs: Get medical advice/attention.
3) Inhalation	 Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
4) Ingestion	 If unconscious but breathing, never give anything by mouth If swallowed do not induce vomiting, seek medical advice immediat. Get immediate medical advice/attention. Rinse mouth.
5) Indication of any immediate medical attention and special treatment needed	- Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

5. FIRE FIGHTING MEASURES

1) Suitable (and unsuitable) extinguishing media	 Small fire: Dry sand, dry chemical, alcohol-resistant foam, water spray, regular foam, CO2 (Suitable extinguishing media) Large fire: Water spray/fog, regular foam (Suitable extinguishing media) High-pressure water (Unsuitable extinguishing media)
2) Special hazards arising from the substance or mixture	 May be ignited by heat, sparks or flames. Fire may produce irritating and/or toxic gases. May cause toxic effects if inhaled.
3) Special protective equipment and precautions for firefighters	 Substance may be transported hot. Runoff may cause pollution. Contact may cause burns to skin and eyes. Dike fire-control water for later disposal; do not scatter the material. Move containers from fire area if you can do it without risk. Fire involving Tanks: Cool containers with flooding quantities of water until well after fire is out. Fire involving Tanks: Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. Fire involving Tanks: ALWAYS stay away from tanks engulfed in fire.

6. ACCIDENTAL RELEASE MEASURES

1) Health considerations ar	nd - Do not touch or walk through spilled material.
protective equipment	- ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate
	area).
	- Ventilate the contaminated area.
	- Stop leak if you can do it without risk.
	- Prevent dust cloud.
	- Please note that materials and conditions to be avoided.
2) Environmental precautions	- Prevent entry into waterways, sewers, basements or confined areas.
3) Methods and material fo	or - Small Spill: Flush area with flooding quantities of water.
containment and cleaning	- Large Spill: Dike far ahead of liquid spill for later disposal.
up	- With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.
	 Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry.
	- Small Spill: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

7. HANDLING AND STORAGE

1) Precautions for safe	- Wash thoroughly after handling.
handling	- Please note that materials and conditions to be avoided.

- Handling refer to engineering control/personal protection section.
- Cuation: High temperature

2) Conditions for safe storage (including any incompatibilities)

- Store in a dry place. Store in a closed container.
- Please note that materials and conditions to be avoided.
- Store in a closed container.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

1) Control parameters

Chemical name	Exposure limits	ACGIH TLV	OSHA PEL	Biological limit values(BLV)
Distillates (petroleum), hydrotreated heavy paraffinic	Not available	TWA 5 mg/m3, Inhalable particulate matter(Mineral oil, Pure, highly and severely refined)	Not available	Not available
BUSINESS SECRET1	Not available	Not available	Not available	Not available
Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts	Not available	Not available	Not available	Not available
Molybdenum, bis[N,N-bis(2- ethylhexyl)carbamodithioatokappa.S,.kappa.S']dioxodimu thioxodi-	Not available	Not available	Not available	Not available

2) Appropriate engineering controls

- Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.
- Adjust the ventilation rate to suit the condition.

3) Personal protection equipment

```
    Respiratory protection - Wear a adequate respiratory protection equipment with certificate by considering
physicochemical properties of exposured particulate material.
```

- In case exposured to particulate material, the respiratory protective equipments as follow are recommended. - facepiece filtering respirator or air-putifying respirator, high-efficiency particulate air(HEPA) filter media or resporator equipped with power
- In lack of oxigan(<19.6%), wear the supplied-air respiration or self-contained breathing apparatus.
- Consider the warning characteristics beforehand.
- Wear breathable safety goggles to protect from material causing eye irritation or other disorder.
 - An eye wash unit and safety shower station should be available nearby work place.

	- In case of direct exposure or potential exposure to the substance, wear safety glasses for chemicals approved in the country.
○ Hand protection	- Wear appropriate protective gloves by considering physical and chemical properties of chemicals.
	- In case of direct exposure or potential exposure to the substance, wear safety gloves for chemicals approved in the country.
○ Body protection	- Wear appropriate protective clothing by considering physical and chemical properties of chemicals.
	- In case of direct exposure or potential exposure to the substance, wear protective clothing
	for chemicals approved in the country.

9. PHYSICAL AND CHEMICAL PROPERTIES

ltem	Input Value
Apperance	Liquid
Color	Light yellow
Smell	a specific smell of hydrocarbon
Smell Threshold	No Data
pH (Numerical value)	No Data
Melting/Freezing Point	No Data
Boilling Point (Numerical value)	No Data
Flash Point (Numerical value)	219 °C
Evaporating Rate	No Data
Flammability(Solid, Gas)	No Data
Explosibility Range	No Data
Steam Pressure	No Data
Solubility (Numerical value)	No Data
Vapor Density	No Data
Specific Gravity	0.85
Distribution Coefficient	No Data
SelfIgnition Temperature	No Data
Pyrolysis Temperature	No Data
Viscosity (Numerical value)	7.0 mm2/s (at 100°C)
Molecular Weight	No Data

10. STABILITY AND REACTIVITY

1) Chemical Stability and hazardous reactivity	 Stable under normal temperatures and pressures. Containers may explode when heated. Some may burn but none ignite readily. 	
2) Conditions to avoid	- Ignition source(heat, spark, flame)	
3) Incompatible materials	- Combustibles - Irritating and/or toxic gas	
4) Hazardous decomposition - Not available		

products

11. TOXICOLOGICAL INFORMATION

1) Information on the likely routes of exposures

\bigcirc Inhalation

- No inhalation effects through respiratory system.

\bigcirc Skin contact

- No effect on skin contact.

\bigcirc Eye contact

- No effect on eye contact.

\bigcirc Ingestion

- No ingestion effect through mouth.

2) Health hazard information

○ Acute toxicity

- * Oral Not classified (ATEmix > 2000 mg/kg)
- Distillates (petroleum), hydrotreated heavy paraffinic : rat(male/female), LD50 > 5,000 mg/kg bw, no deaths (read-across: 64742-56-9) (OECD TG 401, GLP)(ECHA)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : rat; LD50 = 3100 mg/kg bw (read across: zinc bis(O,O-diisooctyl) bis(dithiophosphate) (ECHA)
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not available
- * Dermal Not classified (ATEmix > 2000 mg/kg)
- Distillates (petroleum), hydrotreated heavy paraffinic : rabbit(male/female), LD50 > 5,000 mg/kg bw, no deaths (read-across: 64742-56-9) (OECD TG 402, GLP)(ECHA)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : rabbit(male/female); LD50 > 3160 mg/kg bw, no deaths (ECHA)
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not available
- * Inhalation(Gas) Not applicable
- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not applicable
- * Inhalation(Vapour) Not classified (ATEmix > 20 mg/L)
- Distillates (petroleum), hydrotreated heavy paraffinic : rat(male/female), LC50 > 5.53 mg/L air /4h No deaths

(read-across: MRD-87-102) (OECD TG 403)(ECHA)

- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : rat; LC50 > 5 mg/L air, no deaths (no data for exposure time)(ECHA)
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not available
- * Inhalation(Dust, mist) Not classified (ATEmix > 5 mg/L)
- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not available
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not available

\bigcirc Skin corrosion/Irritation : Not classified

- Distillates (petroleum),	:	Solvent dewaxed light paraffinic oil is not considered to be irritating to the skin
hydrotreated heavy		of rabbits. (read across : 64742-56-9) (GLP)(ECHA)
paraffinic		
- Phosphorodithioic acid	:	rabbit; irritating (PDII = 4) (read across: Cetrimonium chloride (CAS No: 112-02-

- O,O-dialkyl(C=1-14) esters 7))(ECHA) zinc salts
- Molybdenum, bis[N,N-bis(2 Not available
 ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu. thioxodi-

\bigcirc Serious eye damage/irritation : Not classified

- Distillates (petroleum),
 Solvent dewaxed light paraffinic oil is not considered to be an ocular irritant.
 hydrotreated heavy
 paraffinic
 Solvent dewaxed light paraffinic oil is not considered to be an ocular irritant.
- Phosphorodithioic acid : rabbit; irritating (read across: Stearyltrimethylammonium chloride) (OECD TG
 O,O-dialkyl(C=1-14) esters 405)(ECHA)
 zinc salts
- Molybdenum, bis[N,N-bis(2 Not available
 ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu. thioxodi-

\bigcirc Respiratory sensitization : Not classified

Distillates (petroleum), : Not available hydrotreated heavy paraffinic
Phosphorodithioic acid : Not available O,O-dialkyl(C=1-14) esters zinc salts
Molybdenum, bis[N,N-bis(2- : Not available ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-

○ Skin sensitization : Not classified

thioxodi-

- Distillates (petroleum),
 Under the conditions of the test, Solvent dewaxed light paraffinic oil is
 hydrotreated heavy
 paraffinic
 Under the conditions of the test, Solvent dewaxed light paraffinic oil is
 considered non-sensitizing. (read-aross: 64742-56-9) (OECD TG 406, GLP)(ECHA)
- Phosphorodithioic acid : Human(patch test); not sensitising(positive reaction index=0) (read across:

O,O-dialkyl(C=1-14) esters	Cetrimonium chloride (CAS No: 112-02-7))(ECHA)
zinc salts	

 Molybdenum, bis[N,N-bis(2- : Not available ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.thioxodi-

\bigcirc Carcinogenicity : Not classified

-	Distillates (petroleum),	:	EU CLP 1272/2008 : Carc. 1B (Note L : The classification as a carcinogen need
	hydrotreated heavy		not apply if it can be shown that the substance contains less than 3% DMSO
	paraffinic		extract as measured by IP 346)
-	Phosphorodithioic acid	:	IARC, OSHA, NTP, ACGIH, EU CLP 1272/2008 : not listed
	O,O-dialkyl(C=1-14) esters		
	zinc salts		

Molybdenum, bis[N,N-bis(2 i IARC, OSHA, NTP, IRIS, ACGIH, EU CLP
 ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu. 1272/2008 : not listed
 thioxodi-

○ Germ cell mutagenicity : Not classified

- Distillates (petroleum),	:	In vitro(CHO cell) Chromosome Aberration Test: negative (read-aross : 64742-
hydrotreated heavy		53-6) (OECD TG 473, GLP)
paraffinic		In vivo (mouse micronucleus assay) : negative (read-across : SDPO = solvent-
		extracted, dewaxed paraffin oil) (OECD TG 474)(ECHA)
- Phosphorodithioic acid	:	In vitro - Bacterial reverse mutation test ; Negative (OECD TG 471) (read across;
O,O-dialkyl(C=1-14) esters		Cetrimonium chloride (CAS No: 112-02-7), 2',4',5',7'-tetrabromo-4,5,6,7-
zinc salts		tetrachloro-3',6'-dihydroxy-3H-spiro[2-benzofuran-1,9'-xanthen]-3-one) (ECHA)
		In vivo: Not available

- Molybdenum, bis[N,N-bis(2- : Not available ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-

thioxodi-

\bigcirc Reproductive toxicity : Not classified

-	Distillates (petroleum),	:	Reproductive performance was not adversely affected at any dose level
	hydrotreated heavy		evaluated. There were no neonatal toxicity observed at any dose level. There
	paraffinic		were no differences in terms of systemic toxicity between either of the dose
			formulations. (read-aross : Chevron 100 Neutral) (OECD TG 421, GLP)(ECHA)
-	Phosphorodithioic acid	:	In a developmental toxicity study, Sprague-Dawley female rats were treated with
	O,O-dialkyl(C=1-14) esters		Quat-Silsesquioxane in the concentration of 0, 100, 300, or 1000 mg/kg/day
	zinc salts		orally by gavage in corn oil.No maternal mortality and clinical signs or
			behavioral changes were observed in treated female rats as compared to
			control. NOAEL(P)=300 mg/kg bw, NOAEL(F1)=1000 mg/kg bw (read across :
			Quaternary Silsesquioxane)(ECHA)

Molybdenum, bis[N,N-bis(2 Not available
 ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu. thioxodi-

○ Specific target organ toxicity (single exposure) : Not classified

 Distillates (petroleum), hydrotreated heavy paraffinic
 Hydronephrosis of the right kidney was observed in one rat but was not considered treatment-related by the study authors. No other abnormalities were observed in any male or female rats. (read-across: 64742-56-9) (OECD TG 401, GLP)(ECHA)

	Dermal administration of API 78-9 at 5000 mg/kg did not result in any dermal irritation or signs of clinical toxicity. Gross necroscopy did not reveal any signs of systemic toxicity at the 5000 mg/kg dose level. (read-across: 64742-56-9) (OECD TG 402, GLP)(ECHA)
- Phosphorodithioic acid : O,O-dialkyl(C=1-14) esters zinc salts	Significant effects not observed. (ECHA)
 Molybdenum, bis[N,N-bis(2- ethylhexyl)carbamodithioatol thioxodi- 	: Not available kappa.S,.kappa.S']dioxodimu
\bigcirc Specific target organ toxicit	y (repeated exposure) : Not classified
- Distillates (petroleum), : hydrotreated heavy paraffinic	The systemic toxicity NOAEL for this 28-day dermal toxicity study in the rabbit is 1,000 mg/kg, based on the lack of adverse systemic effects observed at this dose level. (read-aross : 64742-53-6) (OECD TG 410, GLP)(ECHA) No systemic effects were observed. The NOAEL for lung changes associated with oil deposition in the lungs was 220 mg/m3. As no systemic toxicity was observed, the overall NOAEL for systemic effects was > 980 mg/m3. (read-aross : 64742-70-7) (OECD TG 412)(ECHA)
- Phosphorodithioic acid : O,O-dialkyl(C=1-14) esters zinc salts	Sprague-Dawley female rats were treated with Quat-Silsesquioxane in the concentration of 0, 100, 300, or 1000 mg/kg/day orally by gavage in corn oil.No maternal mortality and clinical signs or behavioral changes were observed in treated female rats as compared to control. NOAEL(P)=300 mg/kg bw, NOAEL(F1)=1000 mg/kg bw (read across : Quaternary Silsesquioxane)(ECHA)
- Molybdenum, bis[N,N-bis(2-	: Not available
ethylhexyl)carbamodithioatol thioxodi-	kappa.S,.kappa.S']dioxodimu
\bigcirc Aspiration hazard : Not class	sified
- Distillates (petroleum), : hydrotreated heavy paraffinic	Viscosity: 73.9 mm2/s (40°C)(ECHA) & hydrocarbons
 Phosphorodithioic acid : O,O-dialkyl(C=1-14) esters zinc salts 	Viscosity: > 9 - < 15 mm2/s (100°C; OECD TG 114)(ECHA) & not hydrocarbons
- Molybdenum, bis[N,N-bis(2- ethylhexyl)carbamodithioatol thioxodi-	: Not available kappa.S,.kappa.S']dioxodimu

12. ECOLOGICAL INFORMATION

1) Ecotoxicity

- Acute toxicity : Not classfied (ATEmix>1mg/L)
- Chronic toxicity : Not classfied

○ Acute (short-term) aquatic hazard: Fish

- Distillates (petroleum), hydrotreated heavy paraffinic : 96h-LL50(Pimephales promelas) > 100 mg/L (OECD TG

203, GLP)(ECHA)

- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Water solubility : not soluble (0.00000000005072 mg/L at 25° C)(ECHA)
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,kappa.S']dioxodi-.mu.-thioxodi- : Not available

Invertebrates

- Distillates (petroleum), hydrotreated heavy paraffinic : 48h-EL50(Daphnia magna) > 10,000 mg/L(read across : 64742-53-6 or 64741-97-5) (OECD TG 202)(ECHA)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Water solubility : not soluble (0.000000000005072 mg/L at 25° C)(ECHA)
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not available

Aquatic algae

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Water solubility : not soluble (0.00000000005072 mg/L at 25° C)(ECHA)
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not available

○ Chronic (Long-term) aquatic hazard:

Fish

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not available
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not available

Invertebrates

- Distillates (petroleum), hydrotreated heavy paraffinic : 21d-NOEL(Daphnia magna)=10 mg/L(OECD TG 211, GLP)(ECHA)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not available
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not available

Aquatic algae

- Distillates (petroleum), hydrotreated heavy paraffinic : 72h-NOErL(Pseudokirchnerella subcapitata) >= 100 mg/L (OECD TG 201) (ECHA)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not available
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not available

2) Persistence and degradability

\bigcirc Persistence

- Distillates (petroleum), hydrotreated heavy paraffinic : This substance is UVCB, so not applicable.(ECHA)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : log Kow=14.876 (estimated)(EPISUITE); not valid (over -4<log Kow < 8)(ECHA)
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not available

\bigcirc Degradability

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available

- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not available
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not available

3) Bioaccumulative potential

\bigcirc Bioaccumulation

- Distillates (petroleum), hydrotreated heavy paraffinic : This substance is UVCB, so not applicable.(ECHA)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : BCF=3.162(ECHA)
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not available

\bigcirc Biodegradation

- Distillates (petroleum), hydrotreated heavy paraffinic : 31% degradation after 28 days (OECD TG 301F) (read across: Solvent Neutral 600 Base Oil (MRD-94-981)) (OECD TG 301F, GLP)(ECHA)
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : 0% degradation after 28 days (Not biodegradable) (read across : Didecyl dimethyl ammonium chloride) (OECD TG 301C)(ECHA)
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not available

4) Mobility in soil

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Koc=3268000000
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not available

5) Hazard to the ozone layer

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not applicable

6) Other adverse effects

- Distillates (petroleum), hydrotreated heavy paraffinic : Not available
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not available
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not available

13. DISPOSAL CONSIDERATIONS

1) Disposal methods

- Waste must be disposed of in accordance with federal, state and local environmental control regulation.

2) Special precaution for disposal

- Consider the required attentions in accordance with waste treatment management regulation.

14. TRANSPORT INFORMATION

1) UN No.

- Not applicable

2) Proper shipping name

- Not applicable

3) Transport hazard class(es)

- Not applicable

4) Packing group

- Not applicable

5) Marine pollutant

- Not applicable

6) Special safety response for transportation or transportation measure

- Types of Emergency Measures in Case of Fire : Not applicable
- Types of Emergency Measures in Leakage : Not applicable
- Transport regulations according to ADR/RID, AND, IMDG and ICAO/IATA : Not applicable

15. REGULATORY INFORMATION

EINECS(or ELINCS)

- Distillates (petroleum), hydrotreated heavy paraffinic : European EINECS phase-in substance
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : European EINECS phase-in substance
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not applicable
- Business Secret1 : Not applicable

EU CLP (CLASSIFICATION) - PRODUCT : Not applicable

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not applicable
- Business Secret1 : Not applicable

Substances restricted under REACH

- Distillates (petroleum), hydrotreated heavy paraffinic : Substances restricted under REACH
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not applicable
- Business Secret1 : Not applicable

Substances subject to authorization under REACH

REACH SVHC List

Korea

\bigcirc Occupational Safety and Health Act

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Hazardous substance subject to control
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not applicable
- Business Secret1 : Not applicable

⊖ K-REACH

- Distillates (petroleum), hydrotreated heavy paraffinic : Phase-in Substances
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Phase-in Substances

- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not applicable
- Business Secret1 : Not applicable

\bigcirc Chemical Control Act in Korea

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : List of substance subjected to the PRTR
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not applicable
- Business Secret1 : Not applicable

○ Safety Control of Dangerous Substances Act

- Distillates (petroleum), hydrotreated heavy paraffinic : Dangerous substance
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not applicable
- Business Secret1 : Not applicable

U.S.A

○ US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not applicable
- Business Secret1 : Not applicable

○ CERCLA Designation of hazardous substances (40 CFR 302.4)

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not applicable
- Business Secret1 : Not applicable

○ CERCLA Section 302 regulation

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not applicable
- Business Secret1 : Not applicable

\bigcirc CERCLA Section 304 regulation

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not applicable
- Business Secret1 : Not applicable

\bigcirc CERCLA Section 313 regulation

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not applicable
- Business Secret1 : Not applicable

Interntional Convention on Environment

○ Rotterdam Convention list

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not applicable
- Business Secret1 : Not applicable

○ Stockholm Convention list

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not applicable
- Business Secret1 : Not applicable

○ Montreal Protocol list

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not applicable
- Business Secret1 : Not applicable

National Inventory

⊖ Korea

- Distillates (petroleum), hydrotreated heavy paraffinic : Phase-in Substances
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Phase-in Substances
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not applicable
- Business Secret1 : Not applicable

O U.S.A

- Distillates (petroleum), hydrotreated heavy paraffinic : US TSCA phase-in substance
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : US TSCA phase-in substance
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : US TSCA phase-in substance
- Business Secret1 : Not applicable

⊖ China

- Distillates (petroleum), hydrotreated heavy paraffinic : China phase-in substance
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : China phase-in substance
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not applicable
- Business Secret1 : Not applicable

🔿 Japan

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Phosphorodithioic acid O,O-dialkyl(C=1-14) esters zinc salts : Not applicable
- Molybdenum, bis[N,N-bis(2-ethylhexyl)carbamodithioato-.kappa.S,.kappa.S']dioxodi-.mu.-thioxodi- : Not applicable
- Business Secret1 : Not applicable

16. OTHER INFORMATION

1) Reference

- Sources of information used in preparing this SDS included one or more of the following: Internal technical data, data from OECD eChemPortal, ECHA, NITE, TOXNET, IPCS and KOSHA search results.

2) Issue Date

- 2020-09-21

3) Revision number and Last date revised

 \bigcirc Date of last revision

- 2020-09-21

○ Last Revision History

-

4) Other

- The information contained in the Safety Data Sheet is at the date of its issuance to the best of our knowledge correct according to the data available to us. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.